

A Block, Shalimar Bagh New Delhi- 110088 Tel: +91-11-45302222

Dated: 25/06/2021

To.

The Sr. Environmental Engineer, WMC-I Department of Environment, Govt. of NCT of Delhi, 4th Floor, ISBT Building, Kashmere Gate, Delhi-110006

DELHI POLLUTION COUNTER)

DEPARTMENT OF ENVIRONMENT

GOVT. OF NCT OF DELHI

4TH FLOOR, ISBT BUILDING,

KASHMERE GATE, DELHI 11000

Subject: Submission of Form- IV

Dear Sir/Madam,

Please find attached herewith the Form IV (Annual Report of Bio-Medical Waste generated in our hospital for 1st January 2020 to 31st December 2020.

Thanking you,

Yours Sincerely,

For Fortis Hospotel Limited

Dr. Gurvinder Kaur Medical Superintendent

Encl: Attached

FORM IV

ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

S.No	Particulars	-	
1.	Particulars of the Control		
	Particulars of the Occupier		
	(i) Name of the authorised person (occupier or operator of facility)		: Dr Gurvinder Kaur
	(ii) Name of HCF or CBMWTF	-	: FORTIS HOSPOTEL LIMITED
	(iii) Address for Correspondence	1	: A-Block, Shalimar Bagh, Delhi -110088
	(iv) Address of Facility		A-Block, Shalimar Bagh, Delhi -110088
	(v) Tel. No, Fax. No (vi) E-mail ID		011-45302222, 011-45302211
		:	gurvinder.kaur@fortishealthcare.com
		:	
	(viii) GPS coordinates of HCF or CBMWTF		Yes, Observed to be in place during round to the CBMWTF
	(ix) Ownership of HCF or CBMWTF	:	Private (Public)
	(x) Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: DPCC/BMW/AUTH/NEW No/2019/04619 Valid Till: 25-06-2022
	(xi) Status of Consents under Water Act and Air Act	:	Valid up to: 06-07-2024
T	ype of Health Care Facility	-	HCF
	(i) Bedded Hospital	:	262

S.No	Particulars		
	(ii) Non-bedded hospital (Clinic of Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		: NA
	(iii) License number and its date of expiry	•	License Number: DGHS/NH/882 License Date of Expiry: 31.03.2020 (further extended till 31.03.2021 by the Government due to Covid) Applied on 29/01/2020 & again documents
3.	Details of CBMWTF	 	submitted on 29/01/2021
	(i) Number healthcare facilities covered by CBMWTF	: :	Biotic Waste Solutions Pvt. Ltd. CBMWTF will provide the details
	(ii) No. of beds covered by CBMWTF	:	CBMWTF will provide the details
	(iii) Installed treatment and disposal capacity of CBMWTF:	;	CBMWTF will provide the details
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF		CBMWTF will provide the details
	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)		Yellow Category: 5740.30 Red Category: 5111.57 White: 193.69 Blue Category: 983.38 Cytotoxic: 192.39 General Solid waste: 4500 + 3000
I	Details of the Storage, treatment, transp	orta	ation, processing and Disposal Facility
	i) Details of the on-site storage facility	S	Size: 167 Sq Ft + 178 Sq Ft Capacity: 15,000 kg per month
		P	rovision of on-site storage: NA

拼

S.No	Particulars Particulars			<u> </u>		-
	(ii) Disposal facilities		Typo of the		·/··	
			Type of treatment equipment	nt No. of units	Capac ity Kg/da Y	Quantity treated or disposed in kg per
			Incinerators		 	annum
			Plasma Pyrolysis			
			Autoclaves			
			Microwave			·
			Hydroclave			
			Shredder			
			Needle tip cutter			
			or destroyer			
			Sharps encapsulation or		T	
			concrete pit		[ĺ
			Deep burial pits:			
			Chemical			
			disinfection: Any other			
			treatment			
	(iii)Quantity of recyclable wastes		equipment:			
	sold to authorize recyclers after treatment in kg per annum. (iv) No of vehicles used for		Red Category (i	provide t	he detai	ils
	collection and transportation of biomedical waste		CBMWTF will	provide tl	ne detai	ls
	(v) Details of incineration ash and			Quantity	Who	
	ETP sludge generated and			generated	Wher dispo	I .
	disposed during the treatment of		Incineration	***************************************	1	
	wastes in Kg per annum		Ash ETP Sludge	·	 	
		1 7				
			CBMWTF will p	rovido 41-	*' بـ آم	
	(vi) Name of the Common Bio- Medical Waste Treatment	E	Biotic Waste Sol	utions Pv	e detail t. Ltd.	S
	Facility Operator through which wastes are disposed of		·			
(vii) List of member HCF not handed over bio-medical waste	C	BMWTF will pr	ovide the	details	<u> </u>

6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes, conducted 2 times, Minutes of the Meeting attached
7.	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	160
	(ii) number of personnel trained	1990
	(iii) number of personnel trained at the time of induction	300
	(iv) number of personnel not undergone any training so far	Nil – All HCW are trained for BMW mgmt.
	(v) Whether standard manual for training is available?	Yes
	(vi) any other information)	NA NA
•	Details of the accident occurred during the year	0
	(i) Number of Accidents occurred	0
	(ii) Number of the persons affected	0
((iii) Remedial Action taken (Please attach details if any)	NA
(iv) Any Fatality occurred, details	NA
m	Are you meeting the standards of air collution from the incinerator? How hany times in last year could not net the standards?	NA (CBMWTF Responsibility)

S.No	Particulars						
•	Details of Continuous online emission monitoring systems installed	NA (CBMWTF Responsibility)					
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Yes Always compliant with the standards					
1.	Details of Continuous online emission monitoring systems installed Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year? Is the disinfection method or terilization meeting the log 4 tandards? How many times you ave not met the standards in a year?	Yes Always compliant with the standards					
-	Any other relevant information	NA (CBMWTF Responsibility)					

Certified that the above report is for the period from <u>01.01.2020</u> upto <u>31.12.2020</u>

Date: 25.06.2021

Place: Shalimar Bagh, Delhi

Name and Signature of the Head of the Institution

FORM I

ACCIDENT REPORTING (Annual report from 1st Jan 2020 to 31st Dec 2020)

1	. Date and time of accident:	
2.	Type of Accident:	Nil
3.	Sequence of events leading to accident:	Nil
4.	Has the Authority been informed immediately:	Nil
5.	The type of waste involved in accident:	Nil
6.	Assessment of the effects of the against a land	Nil
7.	Assessment of the effects of the accidents on human health and the environment: Emergency measures taken:	Nil
8.		Nil
9.	Steps taken to prevent the recurrence of such an accident:	Nil
10.	Does you facility has an Emanage G	Nil
	Does you facility has an Emergency Control policy? If yes give details:	Nil

Date - 23/06/2021

Place - Delhi

Signature

Designation - Medical Superintendent



DELIII POLLI' HON CONTROL COMMITEI CHI FLOOR, ISBI BUILDING, KASHMERE GATE, DI LHI 140006 visit as at http://dpecaemins.nie in

Result No- DPCC/Comm/W/5980/2832-

Date:06/01/2021

LAB REPORT

ſ, Name & Address of

M/s. Fortis Hospotel limited

A-Block, Shalimarbagh, New Delhi-110088

Delhi-110088

2. Sampling Location

STP Outlet

3. Date of sampling

28/12/2020

4, Sample collected by

DPCC Lab

5. Control Measure (if

any)

STP

Ó. Nature of sample

Grab

7. Nature of Industry

Health Care Establishments having bed strength above 50 beds and

connected or not connected to Sewer and with boiler

8. Parameter analyzed and result

S. No.	- and and tells	STP Outlet	Prescribed Standard		
	pH	7.2	6.5-9.0		
2	Total Suspended Solids (TSS)	58	100.0		
3	Oil and Grease	3.6	1(0.6)		
4	Bio - assay Test (percent survival of fish after 96 hours in 100 percent effluent)	80	90.0-100.0		
5 1	Bio-Chemical Oxygen Demand(BOD)[3 lays at 27°C]	32	30.0		
6 (hemical Oxygen Demand(COD)	88	25/11		

^{*}All parameters are in mg/l except pl1

Dr Nandita Moitra I/C Water Laboratory
MANDITA MOITRA

Scientist 'C'

SSA/Analyst/JLA

NAME OF UNIT

SHALIMAR BAGH

NAME OF COMMITTEE BIO MEDICAL WASTE MANAGEMENT COMMITTEE MEETING

- 1. Date & Time: 27/08/2020 & 12Noon 1PM
- 2. Total no. of Members in the committee: 33
- 3. Number of members attended: 23 : Dr Rajeev Gupta, Dr Gurvinder Kaur, Ms Girja Sharma, Dr Pankaj Kumar, Dr Monika Gupta, Dr M H Rizvi, Dr G k Agrawal, Dr Vivek Jain, Dr Simmi Singhal, Dr Amit Singh, Dr Amrita Chakraborty, Dr Umesh Deshmukh, Dr Sonal Gupta, Dr Manish Gunjan, Dr Amit Prakash, Mr. Abdul Rasheed, Mr. Sudhir, Mr. Sandeep, Mr. JP Sahu, Mr. Vivek, Mr. Suresh Singh, Ms. Himmat Malhotra, Ms. Sapna,
- 4. Chairman & convener present (Yes/No): Yes
- 5. Details of essential members who neither attended nor sent a representative: Narang, Dr Harjit, Dr Sunita Verma, Dr Vikas Maurya, Dr Raju Vyas, Dr Aparna Jain, Dr Mohit Mr. Deepak Agrawal, Dr Kapil Kumar, Dr Manoj Arora,
- 6. Agenda circulated prior to meeting (Yes/No): Yes
- 7. Discussion on Action Taken Report on action items / recommendations from previous meeting
- 8. Details of action items open from previous meeting: No
- 9. Details of action items open from previous two meetings: No
- 10. Summary of discussion on Reports / documents of all essential Agenda items presented : Jan'20 -

SHALIMAR BAGH

NAME OF COMMITTEE Infection Control Committee Meeting

- 1. Date & Time: 31/12/2020 & 3 4PM
- 2. Total no. of Members in the committee: 33
- 3. Number of members attended: 10 : Dr Pankaj Kumar, Dr Monika Gupta, Dr G k Agrawal, Dr Umesh Deshmukh, Ms. Mary Mathew, Mr. Abdul Rasheed, Mr. Sudhir, Mr. JP Sahu, Dr Divya, Ms. Sapna,
- 4. Chairman & convener present (Yes/No): Yes
- 5. Details of essential members who neither attended nor sent a representative: Mr. Deepak Narang, Dr Harjit, Dr Sunita Verma, Dr Vikas Maurya, Dr Raju Vyas, Dr Aparna Jain, Dr Mohit Agrawal, Dr Kapil Kumar, Dr Manoj Arora,
- 6. Agenda circulated prior to meeting (Yes/No): Yes
- 7. Discussion on Action Taken Report on action items / recommendations from previous meeting (Yes/No):
- 8. Details of action items open from previous meeting: No
- 9. Details of action items open from previous two meetings: No
- 10. Summary of discussion on Reports / documents of all essential Agenda items presented
- Action Taken Report on previous committee minutes
- Any Key update from HMC
- Infection Control Data including MOS & CESC & trend analysis of HAIs
- BMW License, Vendor Agreement validity & regulatory reports
- BMW Audit findings/ issues /concerns
- Needle Stick Injury data, Audits
- Infection Control & BMW Trainings
- Surveillance reports
- Vaccination Record update
- AMS update
- Data Validation Report
- **OT Report**
- CSSD Update
- Construction/Repair planned
- Approval of any new products
- Any issues/ Concerns/ Incidents
- Important Matters for decision & direction
- Important Matters for Information

11. Timelines & responsibilities

TO THE STATE OF TH		ANA	· · · · · · ·													Form A dosen't have	STATE THAT WASTE					
		Total Container Category	1.00	Total Wt.		14729.825	14407.03	13395 925	2000-000	13719.381	12148 695	1303000	13836.09	14635.01	10903.806	}	Π	77.77	10454.495	10305,4	146656 171	- 1 - 1 - 1
		Total Con	*******	Total Wt. Total Bags		2048	2406	2545		2530	2163	2504	4007	2964	2341	1363	1639		1528	2138	26269	-
		White Category		Total Wt.		232	228.615	215.025	220 000	222.415	203.49	151 995	2001	157.61	97.565	137.89	202.12	יייי זייט זיינ	445.045	250.59	2324.36	
		White		Total	Bags	247	204	196	100	133	202	191		146	93	138	259	727	/77	204	2306	
		Blue Categony		Total Wt.		1229.49	1318.465	1219.76	1013 125	77.0.77	1051.66	919.215	2000	809.23	518.83	554.465	1022.33	1029 435	1440.733	1114.59	11800.595	-
DEC 20		Blue			Sapa	234	252	243	189		189	169	155	133	88	109	190	197	742	241	2256	
VIAJAN 20 - DEC 20		cytotoxic/ Yellow	Lategory	lotal Wt.	77.00	112.83	140.32	127.605	128.42	160.16	744.10	53.965	78 735	2000	105.975	107.705	35b.255	296.63	673 13	720.13	2308.73	_
BMWDATA		Cytoto	}	Bags	300	2 5	_		73	30	;	74	21	7.6	77	1 5	7/4	53	119	200	2004	_
	1-0	sellow category	Total Mr		688789	5570.1	2010.1 COE1 1 0 F	77.00 54.0	7246.516	6186.295	7711 13	7211.13	10154.92	7065 201	3010 220	2010100	25.7052	30/3.45	3222.48	58883 606	000000.000	
	100		Total	Bags	834	878	1115	-	-	1285	15.43	1101	2286	1669	582	433	000	\$	720	13319		-
	Redicateonic		Total Wt.		6270.615	7149.53	5782.4	4808 905	500000	4563.09	5489 785	767 666	3434.515	3153.235	3834.565	5927.695	5879 935	2000	5094.61	61338.80		
	President Control		Total	Bags	704	1040	959	646	1	452	589	346	200	474	489	683	643		854	5884		
	! 		Month		Dec-20	Nov-20	Oct-20	Sep-20	C 51. V	Aug-Zu	Jul-20	Jun-20	2	May-20	Apr-20	Mar-20	Feb-20	00 40	7411-20			
			S. No	,	-	7	m	4	r.		9	^		×	6	9	11	1,0	7	otai		ĺ.

-			
Ĺ	r)	
(7)	,
	スジニス		
0	_		
•	STANKY/		
	X	, }	

	1 For Annual	The first and the second secon	A series of the	The first of the second							The second secon	The second secon	
Avgner			1 65.26£) <u>5786</u> E 36	193.6967	Section of the Control of the Contro		The second secon	And the second s			The second secon	The second secon
Categon	Yellow	(LEG	Cyto	Blue	White				A Charles and the second of th	The second secon	The second secon		