



Form – IV ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sr No	Particulars			
1	Particulars of the Occupier	:		
	(i) Name of the authorised person (occupier or operator of facility)	:	Mr. Sandeep Guduru	
	(ii) Name of HCF or CBMWTF	:	Hiranandani Healthcare Pvt. Ltd.	
	(iii) Address for Correspondence	:	Plot No. 28, Mini Sea Shore Road, Sector - 10A, Vashi, Navi Mumbai - 400703	
	(iv) Address of Facility	:	Same As Above	
	(v) Tel. No, Fax. No	:	022-39199222 / 022-39199220	
	(vi) E-mail ID	:	director.vashi@fortishealthcare.com	
	(vii) URL of Website	:	www.fortishealthcare.com	
	(viii) GPS coordinates of HCF or CBMWTF	:	Yes	
	(ix) Ownership of HCF or CBMWTF	:	Private	
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: Format 1.0/BO/PSO/CC-1804000840 Valid up to: 30/04/2020	
(xi). Status of Consents under Water Act AND Air Act	:	Valid up to: 30/04/2020		
2	Type of Health Care Facility	:		
	(i) Bedded Hospital	:	No. of Beds: 150	
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA	
	(iii) License number and its date of expiry	:	Nursing Home Registration No. 163	
3	Details of CBMWTF	:		
	(i) Number healthcare facilities covered by CBMWTF	:	3617	
	(ii) No of beds covered by CBMWTF	:	13856	
	(iii) Installed treatment and disposal capacity of CBMWTF	:	6000 Kg per day	
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	5000 Kg/day	
	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category :	17637 Kg
		:	Red Category :	27725 Kg
		:	White:	2157 Kg
		:	Blue Category :	2763 Kg
		:	General Solid waste:	




5	Details of the Storage, treatment, transportation, processing and Disposal Facility			
	(i) Details of the on-site storage facility	Size :	NA	
		Capacity :	NA	
		Provision of on-site storage : (cold storage or any other provision)	NA	
	(ii) Details of the treatment or disposal facilities	Type of treatment equipment	No of units Capacity Kg/day	Quantity treated or disposed in Kg per annum
		Incinerators	6 MT	
		Plasma Pyrolysis	NA	
		Autoclaves	600/ batch	
		Microwave	NA	
		Hydroclave	NA	
Shredder		100 Kg/ Hr		
Needle tip cutter or destroyer		NA		
Sharps encapsulation or concrete pit		NA		
Deep burial pits:		NA		
Chemical disinfection:		NA		
Any other treatment equipment:	NA			
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.):			
(iv) No of vehicles used for collection and transportation of biomedical waste	NA			
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity generated	Where disposed	
	Incineration Ash ETO Sludge	NA	NA	
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	Mumbai Waste Management Ltd.			
(vii) List of member HCF not handed over bio-medical waste.	NA			



6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	:	Yes
7	Details trainings conducted on BMW	:	
	(i) Number of trainings conducted on BMW Management.	:	78
	(ii) number of personnel trained	:	1562
	(iii) number of personnel trained at the time of induction	:	112
	(iv) number of personnel not undergone any training so far	:	294
	(v) Whether standard manual for training is available?	:	Yes
	(vi) any other information	:	No
8	Details of the accident occurred during the year	:	
	(i) Number of Accidents occurred	:	14 (Needle Stick Injury- 11 & Body Fluid- 3)
	(ii) Number of the persons affected	:	14
	(iii) Remedial Action taken (Please attach details if any)	:	Please find attached documents
	(iv) Any Fatality occurred, details.	:	NIL
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	:	NA
	Details of Continuous online emission monitoring systems installed	:	NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	:	NA
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	NA
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from January 2018 to December 2018.


 Mr. Sandeep Guduru
 Facility Director
 Hiranandani Healthcare Pvt. Ltd.



Date: 18th July 2019
 Place: Vashi